


### Objectives


When radiology is still useful in assessing the genital tract?


• When is better or needed despite of ultrasound?












Lilly, Mongrel, FS, 14 years


- The owner said:
- Yesterday this lump was not there
- She is otherwise doing fine, today mildly depressed















## Carolina, DSH, FI, 1 year

- The owner said: the cat smell badly
- Outdoor and indoor
- Not clear if She is eating or urinating

























#### Gross anatomy of male genital tract



#### Radiographic anatomy of the canine prostate




 The length of the prostate should be =/< of 70% of pubic eminence/iliac angle distance


Validation of canine prostate volumetric measurements in computed tomography determined by the slice addition technique using the Amira program Relation Horderno<sup>+</sup>, Las Relative Horde<sup>+</sup>, Nas Schere Meris Kuhrt<sup>+</sup>, Methas Lighe<sup>+</sup>, Yogo Note<sup>+</sup> <sup>©</sup> and Proc. Websate<sup>+</sup>

























## Cafù, Drahthaar, MI ,12 years

- Stranguria for the last week
- · Loosing weight and urine recently
- Reduced urine stream, drop by drop
- Soft tissue thickening at the base of the os penis








### Cafù, Drahthaar, MI ,12 years

#### Radiographic diagnoses:


- Urethral focal stenosis at the base of the os penis
- Ultrasound shows periostea proliferation a lack of soft tissue mass

Urinary Obstruction Secondary to an Ossifying Fibroma of the Os Penis in a Dog Jan Aller Mark Assoc 2004;4152-156.



#### Next step

Urethrostomy or surgical curettage of the os penis?



# Thank you

